


Master Wall® Systems

Conceptual Detail


PO Box 397 Fortson, GA 31808 800-755-0825






Rollershield Drainage CIFS™

Keep System 6" (152 mm) min. above grade





Rollershield Flashing Tape (Flash onto Termination Accessory)

Rollershield Flashing Tape (Air Seal)

Termination Accessory - Stucco Weep Screed Shown, place 1" (25 mm) min. onto foundation

Guardian Base Coat

- 1/16" (1.58 mm) as standard base coat
- 1/8" (3.18 mm) as waterproofing

RDCIFS SD 015 TRANSITION AT GRADE WITH GUARDIAN

https://3dwarehouse.sketchup.com/model/ecaa86dc-c4c0-48bb-a6c2-ede3e886cb92/Master-Wall-Inc-Rollershield-Drainage-CIFS%E2%84%A2-Special-Detail-015-Guardian-Transition

These drawings relay the conceptual conditions of Master Wall[®] Systems and are not the construction drawings. Ultimately the design and detailing of an entire wall system is the responsibility of a professional. These details will guide the design professional in the use of Master Wall[®] Products. Master Wall disclaims design, warranty or construction intent or responsibility. **Bold = Master Wall[®] Product.**©2017 Master Wall Inc.[®]