



PRODUCT DATA

CIFS® BRICK STENCILS

Master Wall® CIFS® Brick Stencils create the patterns for the system over our CIFS® or stucco assemblies. CIFS® Brick stencils are an integral part of the application process in creating a realistic looking brick.

FEATURES & BENEFITS

- Made from Recycled Plastic
- Self Adhesive, Custom Sized
- Made in the USA

APPLICATION TECHNIQUE AND OPTIONS

Typical applications include the following steps:

- Over the approved substrate surface apply the stencil level and adjoin other stencils on the wall.
- Apply Taratex with a standard stainless steel plaster trowel or Italian Trowel.
- Apply the first coat of Taratex level with stencil scraped down to the point to where the stencil is nearly clean.
- Let set up about 30 minutes before applying a second coat of Taratex. Let set for 30 minutes then draw tight with the edge of the trowel (90° to the surface), scraping and creating pits and variations on the surface.
- As the Taratex sets up further, spray the surface with water and slick down (Trowel parallel with the surface).
- Immediately remove the stencil and wait 12 hours at room temperature before beginning mortar application.
- Apply mortar per Master Wall® recommendations.

Information contained in this product data sheet conforms to the standard detail recommendations and specifications for the installation of Master Wall Inc.® products and is presented in good faith. Master Wall Inc.® assumes no liability, expressed or implied as to the architecture, engineering, or workmanship of any project. This information may be concurrent with, or superseded by other applicable documents, such as specifications and details. Contact Master Wall Inc.® for the most current product information. ©2024 Master Wall Inc.®



CIFS® Brick Stencils

Universal Templates Plastic EIFS Stencils, .060 thick. Standard and custom patterns available

Universal Templates
PO Box 2137
Fortson, GA 31808
Phone: (603) 321-1286
Office: (888) 568-4128
orders@universaltemplates.com
universaltemplates.com